

Kelin Epoxy 係一種高強度、高耐久之環氧樹脂，廣泛應用於建築、工業及交通等領域。其特點包括：  
 1. 高強度：具有極高的抗拉、抗壓及抗剪強度。  
 2. 高耐久：能抵抗化學腐蝕、磨損及老化。  
 3. 易於施工：可與多種基材（如混凝土、金屬、木材）良好粘結。  
 4. 環保無毒：不含揮發性有機物（VOC），施工後無異味。  
 5. 應用廣泛：適用於地坪、牆面、橋樑、船舶及各種工業設備。  
 Subbase Epoxy Resin 係一種專為基層處理而設計之環氧樹脂，其主要特點如下：  
 1. 增強粘結力：能顯著提高基層與上層材料之粘結力。  
 2. 減少收縮：有效防止基層材料在乾燥過程中產生裂縫。  
 3. 提高平整度：能填補基層之凹凸不平，使表面更為平整。  
 4. 提高抗壓性：增強基層之承載能力，延長使用壽命。  
 5. 易於修補：對於受損之基層，可進行局部修補，恢復原有性能。

此類產品之優點包括：  
 1. 施工簡便：可採用手動或機械方式施工。  
 2. 乾燥迅速：能在短時間內達到使用強度。  
 3. 價格合理：具有較高之性價比。  
 4. 適用性強：可適應各種不同之環境及條件。  
 5. 維護容易：日常清潔及保養較為簡單。



此類產品之優點包括：  
 1. 施工簡便：可採用手動或機械方式施工。  
 2. 乾燥迅速：能在短時間內達到使用強度。  
 3. 價格合理：具有較高之性價比。  
 4. 適用性強：可適應各種不同之環境及條件。  
 5. 維護容易：日常清潔及保養較為簡單。

Gray 1#

Gray 2#

Gray 3#

Gray 4#

Gray 5#

Gray 6#

Gray 7#

Gray 8#

Gray 9#

Cement Gray

Dull Gray

Silver Gray

Metal Gray

Luxury Silver

Glacier White

Calaeatta

Pearl Gold

Slate Gray

Terra Brown

Greyish Green

Yellow Gray

Soft Khaki

Yellowish Brown

Olive Brown


Brownness

Dark Brown

Reddish Brown

Rock Bslack





□□□□□□□□□□□□□□□□□□□□□□□□ □




01

Clean the tiles and keep it dry



02

Polish with tile wax except the glazed tile



03

Open & Watch, both sides can extruded meanwhile



04

Screw on the nozzle, put on the grout gun




05

Inclined cut the top of the nozzle in 45°



06

Squeeze out 60-80cm long grout in the forepart



07

Evenly squeeze out the tile agent along the gap



08

Press the grout with professional glue-press tools



09

Don't touch in 4-5 hours and remove excess grout then.



10

Keep the tiles dry in 24 hours

□□□□□□□□□□□□□□□□□□□□□□



Two Component Caulking Gun



02



03



04



05



06



07



08



09

Cutter Knife	Pointing trowel	Brush	Forming Stick	Perching Knife	Masking Tape	Stainless Steel Ball	Cleaning Awl
--------------	-----------------	-------	---------------	----------------	--------------	----------------------	--------------

□□□□□□



□□□□□□□□□□



Creaming Machine Line



Testing Machine



Batching Production Line



Cooling Filling



Filling Machine Line



Film-coated Machine



Real Material Stock



Stock

□□□□□□□□

