

Kelin Waterborne 是 一種 環保 無 毒 無 害 的 水 性 塗 料 ， 具 有 優 越 的 耐 磨 耐 刮 性 能 ， 且 具 有 優 異 的 耐 水 耐 酸 耐 鹼 性 能 ， 能 有 效 防 止 污 染 物 的 侵 入 和 腐 蝕 ， 保 護 塗 料 表 面 的 光 澤 和 美 觀 。 此 外 ， 該 塗 料 還 具 有 優 越 的 耐 火 性 能 ， 能 有 效 防 止 火 災 的 發 生 ， 保 護 財 產 和 人 員 的 安 全 。 總 之 ， Kelin 水 性 塗 料 是 一 種 理 想 的 環 保 塗 料 ， 廣 泛 應 用 於 各 種 建 築 工 程 中 。



Kelin Waterborne 是 一 種 理 想 的 環 保 塗 料 ， 廣 泛 應 用 於 各 種 建 築 工 程 中 。



□□□□□□□□□□□□□□□□□□□□□□ □



01

Clean the tiles and keep it dry



02

Polish with tile wax except the glazed tile



03

Open & Watch, both sides can extruded meanwhile



04

Screw on the nozzle, put on the grout gun



05

Inclined cut the top of the nozzle in 45°




06

Squeeze out 60-80cm long grout in the forefront



07

Evenly squeeze out the tile agent along the gap




08

Press the grout with professional glue-press tools



09

Don't touch in 4-5 hours and remove excess grout then.



10

Keep the tiles dry in 24 hours

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



Two Component Caulking Gun

Cutter Knife	Pointing trowel	Brush	Forming Stick	Perching Knife	Masking Tape	Stainless Steel Ball	Cleaning Awl

□□□□□□□□□□ □□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□

□□□□□□□□

