[illegible] [illegible] [illegible] subbase [illegible] [illegible] [illegible] [illegible] [illegible] Chinese Academy of Sciences [illegible] [illegible] - [illegible] [illegible] [illegible]

[illegible] [illegible]


Off White
Gainsboro
Grayish
Medium Gray
Dull Gray
Silver Gray
Metal Gray
Starry Gray
Luxury Gray
Slate Gray
Greyish Green
Yellow Gray
Brownness
Terra Brown
Glacier White
Calaeatta
Pearl Gold
Primrose Yellow
Shiny Gold
Buff Beige
Grayish Yellow
Yellowish Brown
Soft Khaki
Olive Brown
Brown
Reddish Brown
Dark Brown
Rock Black

□□□


BATHROOM
The wall and floor tiles
The washbasin edge
The door edge
The bathtub edge
GLAZED WINDOW
The window edge
The glass gap
TOLIET
The wall and floor tiles
The closestool edge
The washbowl edge
The door edge
KITCHEN
The wall and floor tiles
The range hood edge
The kitchen top edge
The edge of the sink
The door edge
BEDROOM
The wall and floor tiles
The door edge
LIVING ROOM
The wall and floor tiles
The TV backdrop wall
The door edge
BALCONY
The wall and floor tiles
The door edge
The glass gap

□□□□□□□□□□□□□□□□□□□□□□□□□□□□


01
Clear the joints and keep them dry
02
A
B
Mix components A and B without water
03
Completely Grouting the joints with rubbers scraper
04
Scrub twice with a scouring pad after 5~10mins
05
Wipe the residual grout with wet towel
06
Step on after Completely dry ≥24 hours

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

01
02
03
04
05
06
07
Cutter Knife
Pointing trowel
Brush
Rainbow Scraper
Stirring Knife
The sponge
Scouring Pad

□□□□□□□□□□□□□□□□ □□□□□□


1
2
3
4
5
Independent R&D team
Australia Joint R&D
SGS & CMA Dual Environmental Certification
One - Stop Full Line of Tile Grout Global Manufacturer
14 years Production & Construction Experience

□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□

□□□□□□□□□□□

□□□□□□□□□□□

会员单位
SGS
欧盟认证
中国绿色环保产品
3·15放心消费（准入）产品
保险证书
参编单位
会员单位